



MISSOURI BOTANICAL GARDEN


PETER H. RAVEN LIBRARY



GEORGE ENGELMANN BOTANICAL NOTEBOOKS

*Pagination Note:
Since many of the items lack a specific
page number, the page number displayed
online refers to the sequentially created
number each item was given upon
cataloging the materials.*

Cuscutae
Herbarii Imperii Regis
Musaei Florentini



0 1 2 3 4 5 6 7 8 9 10
cm

copyright reserved



MISSOURI
BOTANICAL
GARDEN

5193

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



0 1 2 3 4 5 6 7 8 9 10

cm

copyright reserved



MISSOURI
BOTANICAL
GARDEN

1.
Herbarium Imperiale et Real
Masaei Florentini.

—
Cassiope

C. Epilinum a, in agnis lini ad Alexandria
Aegypt. leg. Figari

b. Herb. Webb. Canar. N. 595.
Grande Canarie

c. H. W. genet. Pyren. meridional
d. — Ireland Shattoworth
e. — France

C. brevistylis Schimp. 1486.

C. europea a. München, martius

b. C. holophyta, var pallid. Blytt

c. C. Schkuhriana ^{Norwegia} Götting Griseb.

d. Norway, Partshore, - Urtica

e. —
d' Apennine d. Toscana

f. Pyrene. Urtica

g. Tosc. Sabina

i. Norway. Ost.

k. C. tuberos. Opiz, Bolea.

- Vicia faba - France

Bouquer. 606. Villa, Pyren

C. Grithyllum Monte Vettore pro. Broth.

Crimea Don'doff

Malta in some liliace April

C. planiflora, Tyrol, Fockei ¹⁸⁴⁷

Madonie Sicilia, Tineo

Littore veneto

Germany

Anglia C. trifolia Babijs



0
cm

1 2 3 4 5 6 7 8 9 10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

C. Epithymum

~~Go Monte Avento, Abruzzo!~~
Abcoli, Monte Vettore
Firenze nei prati
Tigocino e Giunc
Appenni e Lucca

sp

Kralik plant Tarentum, Tunis 24 Aug. 1854
seems to belong here or to the
Cavat. alba

Ex hb. Wohl.: Villa, Bourgane 655

Nancy Godron

Compiègne in Enghien

Cugl. - Erica

caecum. Mont. Cynisca, grotte de

Gard die Sept. 1850

Extremadura, Waldeck 1851

- Montesinos

Olympus

Cassol Xantho nema - Host

"C. Epithymum" in Monotylid. Lancante? Paris?

C. Epithymum var. *alba* Bisl. = subulata Tineo

sp.

"C. alba" Pantellaria

"C. Epilinum" in Lino, Sicilia

"C. Epithymum" Palermo

Sivacusa - Acama

"Abbruzzi" - Diaph. s. Silene

"Subulata" Sicilia (Torrentino)

Go subulat! Palermo, Tino 1847

sp.

" - Tarentum 1845

C. Epithymum var. *subrotundis* s. *compacta*

s. alpina

"Thymus" Nigra

" - Sigillaria

Daphne, Heideck 395 - Susa

Gelin (purple?) - Forgetia

"pessimi alpini" Abbruzzi

"pessimi alpini" Monti



0
cm

MISSOURI
BOTANICAL
GARDEN

copyright reserved


C. planiflora

Ex herb. Webb. proper. Canav.

sp. " *C. Epiphytum*" Bourgeau Canav 460 Canav
2 sp. " *C. Epiphytum*" *Telline rosmanifl* Tym Canav 626
2 sp. " *C. Epiphytum*" Webb. ips. 1845 N. 626
2 sp. & Bouge 1846 N. 426 594
2 sp. " *C. calycina*" ! Webb. ips. 1247 (1845)
& Bouge 1846 N. 18
sp. " *C. Epiphoratum*" ! Webb. Guimara 619
Bouge 1846 N. 459
sp. " *C. compacta*" Webb ips. 1845 N. 1246
" *C. planiflora*" Willd. 203. Scim revd.
" *C. compacta*" Willd. 203. sp.
" *C. compacta*" Willd. 203. sp.
" *C. nivis*" Bourgeau H. sp. 1849 N. 351
" *C. Epilinum*" Knoblk, Fayoum, Egypte
Oran
C. Epiphytum Bourgeau Spay 1851
" *C. major*" N. 1298.
" *C. Epiphytum* Thunb, Hooker 1299
" *C. palestinae* Boiss. Robt. 580.
sp. " *C. microsanthum* Tsiang" Tsiang visit
1847.
C. arabica Schlepp. 140
Auctur 1418
Knoblk
C. Kotchyanana Kotch 749
C. elegans Odlaug 708
C. globulosa " 707 ab non Odlaug
" 413

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

5194



0 1 2 3 4 5 6 7 8 9 10
cm

copyright reserved



MISSOURI
BOTANICAL
GARDEN

L. Herb. I & A. M. Flor.

C. nitida L. M.

" *C. Africana*" Drue 1. II. 62. 11

1235. sin loco et in Herb.

C. Africana Drue 2447

22. 100. 12. 10. 10.

C. Lehmanniana *reflexa* Negev

Java coll. J.

C. lepidiformis Wight (Makran) 2997

C. monogyna Montpellier Avignon
Beaucaire

Attira, Heldreich 2779

Kotschy, Pers. 713

C. Lehmanniana Belaua 411

C. asperifolia Nees. Drue

C. ciliata

—

C. ciliata Kotschy 431

C. chinensis Ceylo. ex H. Gardner
Wight.

C. australis Fezogli, Cordofan

Figari

" *C. australis*" Corsica, Regius.

sp. " *C. Tinei*" Insy " Tyrone

" *C. Cosatiana*" Casati

" *C. Polyzonium*" Casati

" *C. Europaea*" Lucca

" *C. chrysanthemum* Wallich, Botan. Corinb.



0
cm

10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

sp. *Cuscuta obtusiflora* var. *Martinicensis*
 Aichert, 114. ex herb. Zee
C. racemosa, Brantia, Raddi
 ussina Cessel, Grisebach, Durkheim
racemosa 'dagdrea'
concolor Ager 1849
C. compacta (sub nom. *Lepid. adpressa*
 Cgd. Bader) Missouri
C. Copayicensis, var. *Mexico*
C. Decora Lindb. 475.
 " 474 hispida
 Wright 525. 1849
C. botryoides & *Buenos Ayres* Leb.
 ex hb. Hook
C. chileensis Ulpiano Guendelman
C. graniticum *C. Jargensen*, Mexico.
C. chlorantha Richl 368.
C. inflata Richl 424
C. grandiflora Jardot Nov. Grand
C. sphaerocystis Santarini 1844
 (Cuscuta 2)
C. americana Cabr. Lindb. 994
 Martinic 91
C. americana Lindb. 473
 " 120
 Zeyer 674
C. Gronovii, "C. americanum" Westchester
 "Laurea" Richl 372 delx
C. trifloria Mexico Morales

5195



0
cm

copyright reserved



MISSOURI
BOTANICAL
GARDEN

Casuariae Herbarii Presliae

nunc Universitatis
Pragensis

C. Rotskyana Diss

C. in vallis Cordiller. Peruv. Haenke
(in the first years of this century)

grandiflora

C. - Cordiller de Chil. Haenke

Chilensis

C. Guayaguicu Haenke

primitiva

C. capensis monos polystigma.

C. annae von Lhotsky Bakhia

C. capuliformis in Arbor et aliis plantis

Nuslitziana de Mettan & Prag

Mettensteini leg.

Kohaut leg. Plantas Siberianas Martinicensis

(both Kohaut & Sibir von Prag)

Royer in Martinis

Hilseberg (Cypel) Cap } both von

from

Sibir

collection

C. Europea in this sheet are

C. Epiphyta

C. Europaea

C. tuberosa Pr. europaea

C. alba Pr. peniticea in plantis

montis Plegia prope Panomia

Presl. leg. Maj. Jan. 1817.

C. Epiphyta Prag

C. Palaeo- & a few others

not one species of *C. alba* auctior.!!



0
cm

1

2

3

4

5

6

7

8

9

10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



0
cm

1

2

3

4

5

6

7

8

9

10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

Cassiopea Herbari Heronimii Pagani

C. europaea, and there is a species on
Asia Minor by Schmidt *C. cephalo-
fornia* & the author saw it for
himself in Bohemia

C. europaea 357. Kotschy in Tenu 1836 pl. from
Galicia

C. minima Kotschy, Belgia. balyli

C. minima Tenu. sicc. Mus. is the same specimen
as *Sibes minilla* per plastique

C. austriaca Nov. Holl. top. Tenu. Aman by
(he traveled with Ado Brown)



0

1

2

3

4

5

6

7

8

9

10

cm

copyright reserved



MISSOURI
BOTANICAL
GARDEN

5197

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



0 1 2 3 4 5 6 7 8 9 10
cm

copyright reserved



MISSOURI
BOTANICAL
GARDEN

Collection of the Bohemian Museum
(including the Reliquiae Haenkeanae)

Cassata triflorum Pers., on Haworthia depilis, Europea
Brag.

C. planiflora, Bellano (North Italy) Epiphyte

C. virine Brag., Ophiz. Lycopodium

C. grandiflora, vallis of the Cordillera
Peru, Haenke

C. chilensis, Chili Haenke

Cunningham

C. Gronovii a Retzius, Moser, Un.
itius Bethlehem Pa

= *C. Americanum* floribus minoribus corolla
Bakic, Shatsky specie inclusa

C. lepidiformis Retzius, Pallas
is a form of this plant with
long corolla, rather short style,
but entire stony

C. angulans Leyl. Ep. 6. p. 18 no

C. africana (Dcne)

C. alba Pers. ipse dedit Mayo
- maritima Spreng. - Paliuro Epiphyte

Cassata e Guayaquil, Haenke primitiva



0
cm

1

2

3

4

5

6

7

8

9

10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

5198

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



0
cm

1

2

3

4

5

6

7

8

9

10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

Ceratodon Herb. regii Monacanthi

Nov. 57

1. Mexico, Karwinsk. *C. tinctoria*
2. *C. Epiphyllum* microcllo, Sieber. *C. palaestinis*
3. Mexico, Sultepco, Karwinsk.
4. *C. umbellata* Hoch. nisi notis n. sp. *C. umbellata*,
C. desertorum Mart. !
in Chilensis, Kellstroem Portoricensis,
5. *C. Europaea* Monte Sparato *C. subnivalis*,
in Hyrcania s. Salentia,
6. *C. minuta* Mart. ! in Echite
minas Geræs May. Tuc
N. 1292.
7. *C. racemosa* Mart. obs. 72 Rio *C. racemosa*
8. *C. racemosa* Mart. 72. Rio *var. flor. majoris*
style ^{decurv.} sepe exserta
8. *C. pleiaglauca* Bojer, Haesma *C. Epiphyllum*
Hab. Mus. Lyol 1366.
- *attenuata*
9. *Ceratodon obtusus* Ker. *Quillata* *C. Chilensis*
Chil. Sept & Oct. 1829 Herb. & *C. racemosa*
Bertoni 940 & 201. - Un. ifineror
a printed label 1835 mixed!



0
cm

1 2 3 4 5 6 7 8 9 10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

ven!

luzuliformis

!

gubrisalis

!

planiflora

!

Epithymum

Epithym.

Epithym.

obstetricum, brion

!

!

10. *Cuonata monogyna* a. Hohenacker
Hohenacker

b. Moedling bei Wien ad sepes
Vinearum versus Eichkogel
detexi Mai. 1846.

N^o 203. d. v. Kovats

11. *Cuonata minor*.

a. In Liliaceo quadrum, Graecia,
Berger.

b. *Guttatum*. Schreber 1766. in ^{parte} _{fructuosa}

c. *Epithym.* Hausman. Tyrol.
in partis Hb. Mus. Tyrol 1131

d. *minor*, Willkomm N 455. 264
- ⁱⁿ _{silvis} laevigatis foliis prope
pindos - Redondos, Castells nova,
Iles 1850

e. *Epithym.* ~~Littoralis~~ ^{Cathartica}

f. *Epithym.* Sarpi

g. *Epithym.* Hb. Schmid

h. *Cuonata*. Flor. Sardin.

12. *C. major*.

a. *C. Europa*. Rott.

b. *C. Europa*. Coll.

c. *C. Europa*. 1817 matting

d. *C. major*, Graecia, Berger
- Delosamura

e. *C. europea*

f. *C. europea* Tyrol. 1399. - gal.



0
cm

1

2

3

4

5

6

7

8

9

10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

g. C. Europea - Artide
Sijelghof

h. C. Europea 654

i. C. Europea H. Schrank

k. C. Major.

l. C. Europea. common. Klime Engae
& Epithy.

13. C. hanivae. Darmstadt. 1848.
Schnittspel.

Epithy
on tripel!

14. C. quadriflor - Genus quad
Pem, Haenke.

15. C. Epilium. 3 locul. tis

16. C. Brunsii. et Br. Schimp. 1486

17. C. ambra. Schimp. 140

18. C. Americana.

a. Lin Sp. p. 180 n. 2.
ex herb. Schmidiana.

C. Gronovii

b. Siber. Martzg. N. 90

C. americana

c. C. etiander.

C. Gronovii

d. C. Am. Benth. Schmidiana.

C. Gronovii



0
cm

1 2 3 4 5 6 7 8 9 10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

Caroute Herbaria reg. Monacens.

Herb. Boissier

1. Caroute Europe.

a. Schleishheim 1856 destroying all
fields of *Urtica sativa*. Sandner.
Seed not imported! a new ap-
partment!

b. Regensburg - Hedges

c. Oberbayern on Lupulace

d. Manche on Achillea

e. Algarin on altitude 2600' high

f. Augsburg

2. C. Epithymus Franker, Augsbg
Algarin 4567' h.p. on the Hauseralpe
Mosburg, bei pfalz Gude Augsburg

Epithym.

3. C. trifoli Memmingen

a. C. Epithymus Augsbg

München Bülkles gude

Regensburg



0
cm

1

2 3 4 5 6 7 8 9 10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

Ceratodon Harbini Martius
alecto

Nov. 1857

353. *Ceratodon amurensis* L.? *Paramariboa*
in foliis ribis parasitica *Mangal gill*
Wellschlaegel 1851 = *C. American*
Wellschlaegel 1850 *for. minor, stylis rotundis*

167 *C. Amur fl. magnis styl. can exsertis*
Lindberg, Miss Geriae May 1854. is
C. venosa

Ceratodon bipuliformis in adere campesini, Vienna

Ceratodon planiflorus Pers. *Ceratodon Chevall.*
Tours commun. 1837. This is a most
interesting specimen, a concollet of very
slender capillary threads, heads small
flowers of thin white texture, apparently
nupting but a form of *C. Epiphyllum*.
but approaching to *C. planiflorus* with
tuberous roots, long -

352. *Ceratodon umbellata* Kth. Wellschlaegel in
Paramariboa aera litoris manis in Portulacastro etatis platis
Wellschlaegel 1851. *humbibus*
some flowers majoribus, pedalis brachioribus

Ceratodon rauhischotteri Mart. Rio Grande de San
Pedro, Porto Alegre by. Fater Joannes de San
Barbara 1835 appears certainly distinct
South Brazil



0
cm

1 2 3 4 5 6 7 8 9 10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

from *C. umbellata*. must be very many fibers
on with stems thick yellow, a ~~mass of~~ ~~thick~~
convolute mass.

1043 *Curcuma Americana* in Arborescens position
Wallschlaeger Surinam, Paramaribo
Br. in *Zingae* spec.

mention has of ours only: *grisea*, paradox, tenuifolia
and poorly *C. chlorantha*.

he has not our true *umbellata*, *pedunculata*,
composita, postinata nor any of the tetras the



0
cm

1

2

3

4

5

6

7

8

9

10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

J. Schultz Herb. normale
102 C. Kotschy Gessner.

Tibet près d'Agen
(Coll. & Garonne)
Aug 1855 Cy. Pommaret.
Det. Dr. Engelmann

0
cm

1 2 3 4 5 6 7 8 9 10

copyright reserved

MISSOURI
BOTANICAL
GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



0 1 2 3 4 5 6 7 8 9 10

cm

copyright reserved



MISSOURI
BOTANICAL
GARDEN

Castaliae Herbani Juvarini

1. *C. europaea* ! *monachii* on *Urtica*
2. *C. europaea* ! " on *Humulus*
3. *C. "* " "
4. *C. "* " Meran July 1823
5. *C. Anethum* ! Munich, Germany on *Genista* etc.
6. *C. Geithg* " Moris
7. *C. Epithym* Goettingen *Genista*
8. *a. C. Epithym* Aug. 20th Hargassen
8. *b. C. alpi*. Tyrol Schrank
9. *C. alpina* Tergestia
10. *C. alba* in *alpina* ^{own} d'Koch, Meran on *Coleos* July 1823
11. *C. Epilinum* ! Holland
12. *C. "* " Munich
13. *C. "* " Hamburg
14. *C. "* " Munich
15. *C.* " Frankf ^o
16. *C. monogyna* fe. *Altai*. Bunge
17. *C. "* " *Silesia* Lessing, *Terebinthus*
18. *C. europaea* ! Hungary Lang.
19. *C. brevistyla* ! Adr. *Aegypti* Schimp
20. *C. ottanis* ! *Kossul* Kotschy
21. *C. amboina* ! *Arabia* Schimp
22. *C. alba* *planiflora* Tca? *Aegypt* Fischen
23. *C. approximata* Himalaya = *Hectanth* Higel
24. *C. apiculata* ~~Guigal~~ Crisp ^{sp} = *collina* *pertota* ~~hast~~ *fulvella* Brauss Jan. 39
25. *C. No flowers* winterhook C. B. sp. Brauss Apr. 39
26. *C. apiculata* ^{compacta} Alabama A. Gray
27. *C. Gronovii* Am. boreal on *Solidago*
28. *C. glomerata* Chois. Missouri Martens
29. *C. Stylosa* Chois. Tolosa Mexico Karwinski
30. *C. tinctoria* Mart. Mexico Karwinski 1835
31. *C. matsumurae* Mart. ^{alpigenae} Brasilia Dr. Pohl = *ful. Orid* 65
32. *C. chilensis* Ker! Chile, Concepcion, Dr. Merten



0
cm

1 2 3 4 5 6 7 8 9 10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

Passionate Clerk.
de Debones

1. *C. europaea* Gryptb 1803 on *Urtica*
 2. *C. Epilinum* Westphal & Chemnitz 2 spes.
 3. *C. Epithyma* ^{europaea} Europ. austri. Sieber on *Quercus*
 4. *C. mediterranea* ^{Epithyma} Hungaria Lang ^{subsp.}
 5. a. *C. Epithymum* ^{europaea} *actaea* Minibello Sieber
 b. " " Gryptb! on grass
 c. *alba?* *variegata* Marseille Rudolphi, on *Thymus*
 6. *C. monogyna* Rumelia Frivaldzky
 7. *C. " "* Caucasus
 8. *C. " "* Grizien Eichwald
 9. *C. " "* Altai
 a. " " on *Salix* & *Artemisia* Ledde
 b. " " on *Arnoldia*
 c. " " on *Senecio* Karelis
 10. *C. Epithyma* ^{capitata} ^{stig. brw.} Hislar Dr. Hoefft. Madag? [?]
 11. *C. caputina* ^{capitata} ⁴ Hislar No 1721 Karelis a madag
 12. *C. capitata* ^{stig. brw.} Hislar Ledebour Madag
 13. a. *C. " "* Altai 1147 on *Artemisia*
 b. *C. capitata* ² in deserto trans 1828 on *madag* to
 14. a. *C. europaea* 5.87 on *Labiatae*
 b. " " on *Gram*
 c. *C. capitata* a *Artemis*
 15. *C. apponensis* ^{var.} ~~forst.~~ Abu Zabel Dr. Fischer
 16. *C. arachnoides* = fig. 179 *Brevystylis* Sinai on *Pynocystis* ^{tormentos}
 17. *C. " "* Nepal
 18. *C. " "* Nepal
 19. *C. nitida* L. Meyer C. B. sp. ex herb N. B. Ward
 20. *C. a. C. Gronovii* = flower N. States
 b. *C. Polystachys* = fruit
 21. *C. arachnoides* ^{Gronovii} ^{flor. minoribus} Amer. Sept. miss Schleining
 22. *C. C. americana* ! = flower. Jamaica, Rudolphi
 b. " " = fruit
 23. *C. americana* ! Taf. Trinidad. N. 391 Sieber
 24. *C. jalapensis* ! comm. Schlechtdal N. 152
 25. *C. Globulifera* n. sp. Brasilia Eichscholz



0

copyright reserved





MISSOURI BOTANICAL GARDEN

26 *C. chilensis* Ker ! Chili Eschscholtz
27 *C.* Wahu 61



0
cm

1

2

3

4

5

6

7

8

9

10


copyright reserved



MISSOURI
BOTANICAL
GARDEN

5201

MISSOURI BOTANICAL GARDEN
George Engelmann Papers



0
cm

1

2

3

4

5

6

7

8

9

10

copyright reserved




MISSOURI
BOTANICAL
GARDEN

Cuscutae Herb. Bernhardi

N^o 1. *C. stylosa* ! Mexico
2. *C.* ex vallo nubis Columbia
visit Kottler
3. *C. jalapensis* Schlechter. Mexico !
4. *C.* in sepiibus prope Bapizan, Hymann
= Hb. HK. 40. e.

Cuscutae Herb. Shubell worth

1. *C. Popayanis* Kth. var. Columbia Hartweg 1237.
= Hb. HK. 55.
2. *C. fortior* Kth. " 1238
= Hb. HK. 54.
3. *C. americana* L. Guiana, Surinam, Hostmann 464. = Hb. Vindob. 63
4. *C.* Brazil, Martin 941
5. *C. amurensis* Lin. —, Jardan 1775. = Hb. HK. 48.
6. *C. " "* Blanchet. 736 } var chrys N^o 32
7. *C. portul. chrys* " 3047 }
8. *C. racemosa* Mart. Chile, Bastero 940 & 201
9. *C. chilensis* Ker Valparaiso, on Riber, Cuning 350
= Hb. HK 51. a
10. *C. obovata chilensis* Ker. maritima ubique ad Concon, Pöppig 90.
Chile, Pöppig 89.
11. *C.*
12. *C. numpetala* St Marks, Florida, Regel 1000.
13. *C. " var* St Marks, Florida " 1001
14. *C. pentagona* Lake Immokalee Florida " 400. a
15. *C. " "* " 400. b.
16. *C. " "* Portsmouth Virginia " 61
17. *C. rostrata* " Carolina. Regel
18. *C. compacta* Portsmouth Vt. " 247
19. *C. venosa* Texas, Drummond " 1
20. *C. polygonorum* Adonis " 1
21. *C. glandulosa* Lake Immokalee Florida, Regel 100.
22. *C.* Wallis Shattock ~~HK~~
23. *C.* Zermatt ?
24. *C. Epilinum* Irland "



0

1

2

3

4

5

6

7

8

9

10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

Casentae Herb Reichenbach fil.

1. C. Tenda, Piemont. on Calamintha
2. C. Piemont, Lavandula
3. C. " Satureja
4. C. " Teucrium
5. C. " Arenaria
6. C. " Genista ?
7. C. " Utica

Casentae Herbarii Neo-eomensis (Neufchâtel)

C. americana	St Domingo & Portau
C. "	" "
C. europea major.	" "
C. capulata	Canusus, Godet July 1828
C. "	Madrid, Reuter, July 1841
C. pentagona,	America Bosc
C. vulg. vaga minor	Moser. 1832
C. Epithymum	Portaubleau, on Spartium



0

1

2

3

4

5

6

7

8

9

10

cm

copyright reserved



MISSOURI
BOTANICAL
GARDEN

5202



0

1

2

3

4

5

6

7

8

9

10

cm

copyright reserved



MISSOURI
BOTANICAL
GARDEN

Cuscutae, mentioned by Chodat, and contained in my collection.

2. *C. major* Algeria, Dovi. Hb. Hk. 5. 2.
Caudex. Jodet. Hb. Neot.
Turcomania adonis fluv. Ural, Karelia Hb Hk. 5. C.
Ind orient? sub nom *Persicaria capitata* Gr. Smith Hb Hk 6. 6.

4. *C. babylonica* Auct. Hb. Hk. 16.

5. *C. minor* Ias Canar. Canous.

6. *C. arabica*. Auct. 1418 Hb. Hk. 15. 6.
Alexandria Dovc 354 Hb Hk. 1.

8. *C. capensis* Grise 7833. Hb Hk. 36. a.

10. *C. nitida* E. Mey. Grise Hb. Hk 37. Hb. B.

11. *C. inclusa* ? Mexico Blandford Hb. B. ?

16. *C. chilensis* odonata. Poppig Hb B.

18. *C. odonata* S. Gillies Hb Hk 52. a. ?
19. *C. conica* Bartsch Hb Shatt. 8.

20. *C. mucronosa* Hb. Hk 42. a Bory. ?
Hb. Hk. 43? 58. a. ?

21. *C. gemiflora* Hb Berl.

30. *C. goniocarpa* Bon Hb. Neot. ? ?

31. *C. americana* Bahama Hb Hk. 59. a. & 57.

32. *C. spectabilis* Schum. Hb Hk 40 e ?
Hb. Shatt. 6. ?

35. *C. parviflora* Blandford Hb Shatt. 7.

36. *C. umbellata* Hb Hb Berl.

37. *C. perfoliata* Hb Berl. c. *C. gemmata*

38. ? *C. oblongiflora* Hb Hb Berl.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Poppig has coll. 7. 16.



cm

0 1 2 3 4 5 6 7 8 9 10

copyright reserved



MISSOURI
BOTANICAL
GARDEN